

Date:

Wednesday, 9/6/2006 3:46:11 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Type

Job Number

: 28447

Estimate Number

: 10534

P.O. Number

This Issue

:NIA

Prsht Rev.

: 9/6/2006 : NC

. NA First Issue : 27995

Previous Run

Written By Checked & Approved By

Comment

: Est Rev: I

06-01-27 As Rev RevE

: MACHINED PARTS

Drawing Name

: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Part Number

: D2574

Drawing Number

: D2574 REV E •

Project Number

: N/A

Drawing Revision

: NIA Material **Due Date**

: 9/13/2006

Qty:

6 Um:

Each

Additional Product

Job Number:



Seq. #: 1.0 **Machine Or Operation:**

Description:

HAAS CNC VERTICAL MACHINING #1

7075-T7351 8.25X5.0X2.5

Comment: Qty.:

D6101005

1.0000 Each(s)/Unit

Total: 6.0000 Each(s)

7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2574

Ensure that grain is along 5.00" length

Batch No: - 194 5 3 5 5 HAAS1

2.0

Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 32844 Double check by: J.L.

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per

Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets

4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

Er 06/69/18

3.0

MILLING CONV.

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574



4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Dart Aerospace Ltd

DuitAc	ospace	Ltu								
W/O:			WO	RK ORDER CHA	NGES					
DATE	STEP	PRO	OCEDURE CHAI	NGE	В	y	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			-							
Part No		PAR #:	Fault Categ	jory:	NCR: Y	es N	DQA		Date: _c	56/0/06
					Q	A: N/C	Closed	1:	_ Date: _	
NCR:			WORK ORDE	R NON-CONFOR	MANCE (N	ICR)				
DATE	STEP	Description of NC	Initial		Section B	gn &	Verific		Approval	Approval
		Section A	Chief Eng	Action Description Chief Eng		oate	Section	on C	Chief Eng	QC Inspector
·										

NOTE: Date & initial all entries

Date: Wednesday, 9/6/2006 3:46:12 PM Kim Johnston User: **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Part Number: D2574 Job Number: 28447 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 Comment: SECOND CHECK 6 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING Comment: POWDER COATING X6 Powder Coat GREEN (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE Comment: PACKAGING RESOURCE #1 111003 Identify and Stock Location: QC21 10.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

Duit /10	·oopao	<i>y</i> = 5 0								
W/O:			WO	RK ORDER CI	HANGES				·	
DATE	STEP	PROCEDURE CHANGE					Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cated	iorv:	NO	R: Yes	No DQA	,	Date:	
	-			·					Date:	
NCR:		1	NORK ORDE	R NON-CONF	ORMANC	E (NCR	R)		· · · · · · · · · · · · · · · · · · ·	
DATE	STEP	Description of NC	Initial	Corrective Action Action Descri	Section B	Sign &	Verific	ation	Approval	Approval
		Section A	Chief Eng	Chief Eng		Date	Section	on C	Chief Eng	QC Inspector
				·						
			1			1				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	28441
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

-				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682						
В	1.745	1.755		1.750	1.750	1,749	1.750		
С	3.495	3.505		3.506	3.506	3.498	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.005	8.005	8.005	8.00C		
F	0.490	0.510		0.501	0.501	0.500	0.501		
G	0.257	0.262	DT8683						
Н	0.375	0.380	DT8684						
ı	0.490	0.510		0.501	0.449	0.506	0.506		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.568	0.567	0.568	0.368		
L	1.174	1.184		1.179	1.179	1.179	1.179		
М	1.365	1.375		1.320	1.370		1.370		
N	2.495	2.505		2.499	8.506	2499	2,500		
0	4.119	4.129		4.02	4.122	4.124	4.122		
Р	0.115	0.135		0.121	0.122	0122	0,123		
Q	0.115	0.135		0.135	0.135	0.135	0.135		
R	0.240	0.260		0.251	0.253	0.253	0.252		
S	0.115	0.135		0.119	0.120	0.117	0218		
T	0.178	0.198		0.138	6 188 3.230	0.188	0.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0,238	0.239	0.241	0.239		
W	0.115	0.135		0.126	0.126	0.124	0.123		
Χ	0.307	0.312		0.B09	0.369	0.308	0,309		
Υ	0.760	0.765		0.760	0.760	0.762	0.760		
Z	0.352	0.372		0.269	0.369	0.369	0.367		
AA	0.470	0.530			0.500	0.500	0.500		
AB	0.615	0.635		0.626	0.629	0.629			
AC	0.053	0.073		0.063	6,063	0.063	0.063		
AD	0.240	0.260		0,246		0.246	0.246		
AE	1.500	1.520		1.500	1.509	1.509	1.512		
AF	0.115	0.135		0.135	6.135	0.135	0.135		
AG	0.240	0.280		0.260	0,260	0.266	0,260		
AH	0.240	0.260		0.248	0.249	0.251	0.249		
Al	2.000	2.020	***************************************	3.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.035	0.035	0.035		
	Acc	ept/Reje	ct						

	<u> </u>			_
Measured by:	gne	Audited by	MS .] .
Date:	06/09/18	Date:	06109/22	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM ox	GIII

DART AEROSPACE LTD	Work Order:	28447
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

			Recorded Actual Dimensions						
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682						
В	1.745	1.755		1.750	1.750				
С	3.495	3.505		3.500	3.500				
D	1.745	1.755		1.749	1.780				
E	7.990	8.010		8.006	3.006				
F	0.490	0.510		0,501	0.499				
G	0.257	0.262	DT8683						
Н	0.375	0.380	DT8684						
1	0.490	0.510		0,506	0.498	_			
J	1.174	1.184		1.179	1.179				
K	0.558	0.578		0.568	B. 566				
L	1.174	1.184		1.179	1.179				
М	1.365	1.375		1.370	1.370				
N	2.495	2.505		2.570	2.500				
0	4.119	4.129		4.122	4.12				
Р	0.115	0.135		0,123	0.122				
Q	0.115	0.135		1135	0.135				
R	0.240	0.260		0,253	1.253				
S	0.115	0.135		0.114	0.120				
Т	0.178	0.198		0.188	0.188				
U	3.210	3.250		3,230	3.236				
V	0.230	0.250		0.240	0.239				
W	0.115	0.135		0.122	0.125	,,_		1.	
Χ	0.307	0.312		0 308	0.309		,		
Υ	0.760	0.765		0.760	0.760				
Z	0.352	0.372		0.319	0.370			† †	····
AA	0.470	0.530		0.500	0.506			1	
AB	0.615	0.635		0.627	0.627			1	
AC	0.053	0.073		0-063	0.063				
AD	0.240	0.260		0.247	0.247		· 		
ΑE	1.500	1.520		1.510	1.5/3				
AF	0.115	0.135		0.125	0.138	· · · · · · · · · · · · · · · · · · ·	· · · · · · ·		
AG	0.240	0.280		0.260	0.266				
AH	0.240	0.260		0.249	0.249				
Al	2.000	2.020		2.000	2.000				
AJ	0.023	0.043		0.035	0.035				
		ept/Reje	ct	12.003					

Measured by:	my.	Audited by	MS
Date:	06/09/18	Date:	0609 53

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM OK	Gill
	-		/()	

